


# Bungee Run



## Additional Operating Instructions



These are additional instructions to the Constant Flow Land Inflatable Operation Manual.



Bungee runs come in many different lengths, colours, and number of lanes. These additional operating instructions cover any device made by Airquee similar to the pictures above.

If you are in any doubt about anything mentioned in this manual or its suitability for your product or circumstances, please contact us using any of the methods given on our website,

[www.airquee.com/contact](http://www.airquee.com/contact).

**For all guidance relating to the safe use and operation of an inflatable including safe positioning, anchoring, inflation/deflation, and regular checks please refer to our Constant Flow Land Inflatable Operation Manual. A copy of this can be downloaded by scanning the QR code on the filler pipe of your product or by visiting [www.airquee.com/manuals](http://www.airquee.com/manuals).**



**As owner/operator it is your responsibility to write and carry out your own risk assessment before attempting to use this product. This manual, together with the Constant Flow Land Inflatable Operation Manual must be read before attempting to setup/use the product.**

### Additional Equipment

Adult Belts	Child Belts	Adult Helmets	Child Helmets	Neck Braces
				
3M & 4M Bungee Cords	Batons	Webbing Straps	Carabiners	Metal Bars
				

- The above equipment quantities will depend on the size and type of bungee run you have.
- The bungee cords, webbing straps and other items are consumable. They will wear and stretch over time and need to be replaced.



This inflatable can be set up and packed away by 2 persons who have had proper manual handling training and use the correct equipment to move the inflatable. You should conduct your own manual handling risk assessment to determine a safe set up procedure and number of people required based on your circumstances.

For information regarding dimensions, weight, zips, filler pipes etc please refer to the email we sent you with the finished pictures and data.

## INTENDED USE OF THE PRODUCT

The Bungee Run was designed to be a head-to-head competition using the strength and body movement coordination of one user per lane competing against each other. Users take a Velcro baton and run and stretch to the end of the run as far as they can and stick the baton to the Velcro line in the middle of the run. Whoever gets the baton the furthest, wins.

## OPERATING GUIDELINES/RULES OF PLAY

- Users should **NOT** be **ALLOWED TO CLIMB** on the **WALLS**.
- Do not let any member of the public (player or bystander) have access to the Velcro pocket holding the metal bars, located at the rear of the product.
- Be prepared – warn your clients that they may be abruptly propelled back to their starting position by the bungee cord.
- Players must stay in their own lanes.
- Participants should not engage in the game if they have any of the following conditions: current or previous injury to the back or neck, chronic knee, or other joint conditions; any respiratory conditions, including but not limited to asthma or bronchitis; any heart related or circulatory conditions or pregnancy.
- Do not allow players to wrap the bungee cords around any part of the body (neck, hands, feet...)
- **BEFORE, DURING AND AFTER USE**, the bungee cords, harnesses, and their connection points should be checked for wear. If signs of wear are found, **PLAY MUST BE STOPPED AND ANY WORN ITEMS MUST BE REPLACED IMMEDIATELY**.
- Do not use the product without the supplied safety equipment. The supplied neck braces and helmets must be always worn.
- For users weighing up to 60kg (9.45 stone) use only one 4m bungee cord.
- For users between 60kg and 120kg (18.9 stones) use both 3m and 4m bungee cords.
- The two bungee cords combined can hold a user of a maximum weight of 120kg.

For more information regarding operating guidelines and rules of play please see the Constant Flow Land Inflatable - Operation Manual.

## SETUP

The metal bars must be inserted in the Velcro pockets and the webbing strap must be attached while the unit is **UNINFLATED**. If you add them after inflation, you could face difficulties in doing so and/or you could compromise the security of the product.

**BE AWARE THAT THE PICTURES BELOW SHOW BOTH 3M AND 4M BUNGEE CORDS, AND NOT THE TWO ENDS OF ONE CORD.**


1. Take both the 3m and 4m bungee cords and pass the webbing strap through one of their loops. This way both cords are attached to the webbing strap.





2. Pull the two ends of the webbing strap through the wall. **PLEASE NOTE THE STRAP IS CROSSING THROUGH THE WALL, NOT THE BUNGEE CORDS.**



3. Insert the metal bar through both ends of the webbing strap. Please ensure the webbing strap is NOT tied or twisted around the bar, it only must be hooked around the metal bar on both ends.



4. Ensure the metal bar sits into both pockets on the left and right of the hole and the pockets are velcroed closed. The pockets should be stitched along the bottom edge and can be opened and closed by the Velcro on the top edge.
5. Attach the carabiner to the loose ends of the bungee cords (3m, or both, depending on the weight of the user) and then ensure the carabiner is screwed closed.



**In addition to the checks that you must perform, all inflatables require an annual inspection. Please refer to local legislation for the specific requirements of the country or region that you are operating in.**

The Airquee Operation Manual (the "Manual") is proprietary to Airquee Ltd, SC Airquee SRL, Airquee Northern Ireland Limited and Airquee Ireland Limited collectively known as ("Airquee") and no ownership rights are hereby transferred. No part of the Manual shall be used, reproduced, translated, converted, adapted, stored in a retrieval system, communicated, or transmitted by any means, for any commercial purpose, including without limitation, sale, resale, licence, rental, or lease, without the prior express written consent of Airquee.

Airquee does not make any representations, warranties, or guarantees, express or implied, as to the accuracy or completeness of the Manual. Users must be aware that updates and amendments will be made from time to time to the Manual. It is the user's responsibility to determine whether there have been any such updates or amendments. Neither Airquee nor any of its directors, officers, employees, or agents shall be liable in contract, tort or in any other manner whatsoever to any person for any loss, damage, injury, liability, cost or expense of any nature, including without limitation incidental, special, direct or consequential damages arising out of or in connection with the use of the Manual. All logos, images and content not owned by Airquee are copyright to their respective owners and have been reproduced by permission.

Your product model, and its additional equipment (number and type) may differ from the one presented in this manual. All the pictures and drawings contained in this manual are for illustration purposes only. Any misuse or failure to adhere to the instructions and recommendations contained in this manual will render void the warranty.

Due to constant innovation, product enhancement and changes to international standards any printed or downloaded manual may become out of date. The most recent manuals can be freely downloaded at [www.airquee.com/manuals](http://www.airquee.com/manuals).

For any further information or guidance please refer to [www.airquee.com/contact](http://www.airquee.com/contact) for the best way to contact us in your country or region.

